



## AIRCRAFT ACCESS STAND

### DESCRIPTION

The Aircraft Access Stand is designed for access to the main fuselage doors. The 8" castors allow for easy maneuvering in minimal space. The design allows for use in hangar areas as well as line maintenance and ramp parking applications.

Our Professional Engineers can design custom models based on your specific requirements.

### WHAT OUR CUSTOMERS ARE SAYING

*"We would highly recommend this product to any company completing regular maintenance on commercial aircraft. We find that Liftsafe Fall Protection is more than willing to work with us in creating safe, economical and multi-purpose designed equipment, tailored to our needs."*



NATO N/CAGE CODE: L03Y4



member of

**NBAA**



### PRODUCT FEATURES

- 8" split castor with brake and swivel lock
- Custom colour finish
- Tow bar
- Fail-safe hydraulic cylinder locks
- Split wheel castors for easy movement
- Designed and tested in accordance with ANSI-ASC A14.7 and BS EN 131.7, DIN EN 12312-8, EN 1915-1, and includes CE Certification

### BENEFITS

- Designed for minimal footprint
- Easy mobility ensuring the stand can be relocated quickly
- Designed for use in hangar areas as well as line maintenance and ramp applications
- Customizable to individual operational requirements
- 2 year limited warranty on components
- 10 year limited warranty on structure



## AIRCRAFT ACCESS STAND

### AVAILABLE ACCESSORIES

- Air Powered Pump
- Utilities package
- Fall restraint anchor points



## TECHNICAL SPECIFICATIONS

| MODEL NO.                           | DF101579-01   | DF101580-02   |
|-------------------------------------|---|---|
| <b>DESIGNED FOR</b>                 | Aircraft Entry Access - Adjustable Height                   | Aircraft Entry Access - Fixed Height                |
| <b>AIRCRAFT TYPE</b>                | Based upon Customer Requirements                            | Based upon Customer Requirements                    |
| <b>MOVEMENT</b>                     | 3 Persons   | 2 Persons   |
| <b>TOWING SPEED</b>                 | 10 KPH / 6 MPH  | 10 KPH / 6 MPH                                      |
| <b>FOOT PRINT</b>                   | Based upon Customer Requirements                            | Based upon Customer Requirements                    |
| <b>SHIPPING (DIMS)</b>              | Based upon Customer Requirements                            | Based upon Customer Requirements                    |
| <b>WEIGHT CAPACITY</b>              | Based upon Customer Requirements                            | Based upon Customer Requirements                    |
| <b>CERTIFICATIONS</b>               | ANSI-ASC A14.7, BS EN 131.7, CE, DIN EN 12312-8 & EN 1915-1 |   |
| <b>MATERIAL</b>                     | Steps: Aluminum<br>Frame: Steel                             | Steps: Aluminum<br>Frame: Steel                     |
| <b>FINISH</b>                       | Custom Colour   | Custom Colour                                       |
| <b>CASTOR DETAILS</b>               | 8" / 20.3cm Split Castor with Brake and Swivel Lock         | 8" / 20.3cm Split Castor with Brake and Swivel Lock |
| <b>CONTROLS</b>                     | Manual Foot Pump  | N/A   |
| <b>FALL RESTRAINT ANCHOR POINTS</b> | Not Required  | Not Required  |
| <b>PADDING MATERIAL</b>             | Equipped  | Equipped  |