



SPECIFICATION SHEET

PORTABLE TRUCK NETTING SYSTEMS

PIVOTING

Built with a compression bar with arms that pivots to rest against the flatbed, offering a quick and easy set up. Ideal for multiple use bays or where customers do not want to connect to the flatbed. This system is engineered with non-permanent weighted bases with fork pocket holes and fixed columns that can be moved if necessary. All components can be taken apart if needed.

STAKE POCKET BASE

Includes weighted bases with fixed vertical columns that can be moved and used in multiple locations. Ideal for outdoor applications, this non-permanent system solves pavement mounting limitations with fork pocket bases for moving. Netting is attached with wire rope and custom brackets that attach to the stake pockets of the flatbed trailer.

PORTABLE TRUCK NETTING SYSTEMS

An “engineered” system consisting of custom-fitted netting panels, rigging hardware and columns.

SPECIFICATION

DETAILS

Product Name	Truck Safety Netting
Manufacturer	Liftsafe Fall Protection Inc.
Safety Standards Compliance	OSHA, MOL, ANSI, WorkSafeBC, OBC, NBC, CSA, BS EN, CE Certification
Netting Panel	2.5”, 6000 lb net with web border
Netting Colour	Black, yellow, custom colours are available for large orders
Netting Material	6000 lbs net - nylon
Netting Cable	3/8” cable
Netting Design	Knotless netting, sewn rope border, UV protection
Rigging Components	Columns, pivoting arm, compression bar, column base, galvanized GAC, snap hooks, thimble, net panels, wire rope clips
Bases (for portable systems only)	4000 lbs (2 tons per base)

PIVOTING - COMPONENTS

- » 3 columns (6” x 6”)
- » Pivoting arm
- » Compression bar (made up of 3 bars)
- » Column base (4’ x 4’ x 2.5’)
- » 3/8” galvanized GAC
- » Snap hooks for every 2’
- » 2 3/8” light duty thimble
- » 1 net panel
- » 4 3/8” wire rope clips
- » 1 TB


STAKE POCKET BASE - COMPONENTS

- » 3 columns (6” x 6”)
- » Column base (4’ x 4’ x 2.5’)
- » 3/8” galvanized GAC
- » Snap hooks for every 2’
- » 2 3/8” light duty thimble
- » 1 net panel
- » 4 3/8” wire rope clips
- » 1 TB



Liftsafe Fall Protection Inc.
A Division of Liftsafe Group of Companies
409 Harmony Rd, Ayr, ON N0B 1E0
P: (519) 896-2430 | TF: (800) 977-2005 | F: (519) 896-2085
E: info@liftsafegroup.com | W: www.liftsafegroup.com





SPECIFICATION SHEET

COLUMN MOUNTED TRUCK NETTING SYSTEMS

CLASSIC

Ideal safety solution for facilities with limited space. Depending on the orientation of the column, our mounting brackets will surround your existing columns to save space and provide optimal support. Engineered to be installed easily using existing facility space. All of our systems and custom drawings can be stamped with engineer approval.

FLANGE

Ideal safety solution for facilities with multiple use bays or areas with limited space. Engineered for specific column types and orientations. Depending on the orientation of the column, our mounting brackets will surround your existing columns to save space and provide optimal support.

COLUMN MOUNTED TRUCK NETTING SYSTEMS

An “engineered” system consisting of custom-fitted netting panels, rigging hardware and columns.

SPECIFICATION

DETAILS

Product Name	Truck Safety Netting
Manufacturer	Liftsafe Fall Protection Inc.
Safety Standards Compliance	OSHA, MOL, ANSI, WorkSafeBC, OBC, NBC, CSA, BS EN, CE Certification
Netting Panel	6000 lbs rated, 2.5” square
Netting Colour	Black, yellow, custom colours are available for large orders
Netting Material	6000 lbs net - nylon
Netting Cable	3/8” aircraft cable
Netting Design	Knotless netting, sewn rope border, UV protection
Rigging Components	Column mount brackets, galvanized GAC, snap hooks, stake pockets, thimbles, net panel, wire rope clips

CLASSIC - COMPONENTS

- » 3 column mount brackets (consist of 2 plates)
- » 3/8” galvanized GAC
- » Snap hook for every 2’
- » Stake pockets for every 2’
- » 2 3/8” light duty thimble
- » 1 net panel
- » 4 3/8” wire rope clips
- » 1 TB


FLANGE - COMPONENTS

- » 3 flange mount brackets (consist of 3 plates)
- » 3/8” galvanized GAC
- » Snap hooks for every 2’
- » Stake pockets every 2’
- » 2 3/8” light duty thimble
- » 1 net panel
- » 4 3/8” wire rope clips
- » 1 TB



Liftsafe Fall Protection Inc.
A Division of Liftsafe Group of Companies
409 Harmony Rd, Ayr, ON N0B 1E0
P: (519) 896-2430 | TF: (800) 977-2005 | F: (519) 896-2085
E: info@liftsafegroup.com | W: www.liftsafegroup.com





SPECIFICATION SHEET

WALL MOUNTED TRUCK NETTING SYSTEM

The Wall Mounted Truck Netting System, also known as our “Fill in the Gap System,” protects small gaps between the shop floor and trailer bed in recessed bay applications where a post and net system is not suitable. The nets are attached to the facility wall by cable or a flat bar/pad eye setup. The net then hangs from the attachment hardware and is attached to the trailer with stake pockets when a flatbed is in place. Recessed bay applications can be particularly dangerous to workers, and our system ensures that all facility areas are protected.

WALL MOUNTED TRUCK NETTING SYSTEMS

An “engineered” system consisting of custom-fitted netting panels, rigging hardware and flat bars.

SPECIFICATION

DETAILS

Product Name	Truck Safety Netting
Manufacturer	Liftsafe Fall Protection Inc.
Safety Standards Compliance	OSHA, MOL, ANSI, WorkSafeBC, OBC, NBC, CSA, BS EN, CE Certification
Netting Panel	6000 lbs net - 2.5” square, industrial safety netting
Netting Colour	Black, custom colours are available for large orders
Netting Material	6000 lbs net - nylon
Netting Cable	3/8” aircraft cable
Netting Design	Knotless netting, sewn rope border, UV protection
Rigging Components	Snap hooks, stake pockets, net panel, flat bar along length of bay

WALL MOUNTED - COMPONENTS

- » Snap hooks for every 2’
- » Stake pockets every 2’
- » 1 net panel
- » Flat bar along length of bay



Liftsafe Fall Protection Inc.
A Division of Liftsafe Group of Companies
409 Harmony Rd, Ayr, ON N0B 1E0
P: (519) 896-2430 | TF: (800) 977-2005 | F: (519) 896-2085
E: info@liftsafegroup.com | W: www.liftsafegroup.com





SPECIFICATION SHEET

FREE STANDING FLATBED TRUCK NETTING SYSTEM

PIVOTING

This permanent solution utilizes columns designed to mount directly to your facility's floor and provides a "soft catch" for personnel who may fall during loading/unloading of materials. Built with a compression arm that pivots to rest against the flatbed. Engineered to open or close quickly and easily, with no additional setup required for the netting panel.

CLASSIC

This permanent solution is designed to mount directly to your facility's floor and provides a "soft catch" for personnel who may fall during loading/unloading of materials. Designed to attach quickly with wire rope and custom brackets to the stake pockets of the flatbed trailer. Our team can design a system for almost any trucking bay, with custom size configurations to ensure we meet the safety needs of your equipment.

FREE STANDING FLATBED TRUCK NETTING

An “engineered” system consisting of custom-fitted netting panels, rigging hardware and columns.

SPECIFICATION

DETAILS

Product Name	Truck Safety Netting
Manufacturer	Liftsafe Fall Protection Inc.
Safety Standards Compliance	OSHA, MOL, ANSI, WorkSafeBC, OBC, NBC, CSA, BS EN, CE Certification
Netting Panel	6000 lbs net - 2.5” square, industrial safety netting
Netting Colour	Black, yellow, custom colours are available for large orders
Netting Material	6000 lbs net - nylon
Netting Cable	3/8” aircraft cable
Netting Design	Knotless netting, sewn rope boarder, U.V. protection
Rigging Components	Columns, pivoting arm, compression bar, galvanized GAC, snap hooks, thimble, net panels, wire rope clips

PIVOTING - COMPONENTS

- » 3 columns (6” x 6”)
- » Pivoting arm
- » Compression bar (made up of three bars)
- » 3/8” galvanized GAC
- » Snap hooks for every 2’
- » 2 3/8” light duty thimble
- » 1 net panel
- » 4 3/8” wire rope clips
- » 1 TB

CLASSIC - COMPONENTS

- » 3 columns (6” x 6”)
- » 3/8” galvanized GAC
- » Snap hooks for every 2’
- » Stake pockets every 2’
- » 2 3/8” light duty thimble
- » 1 net panel
- » 4 3/8” wire rope clips
- » 1 TB



Liftsafe Fall Protection Inc.
A Division of Liftsafe Group of Companies
409 Harmony Rd, Ayr, ON N0B 1E0
P: (519) 896-2430 | TF: (800) 977-2005 | F: (519) 896-2085
E: info@liftsafegroup.com | W: www.liftsafegroup.com

